Author Index of Vol. 63

Allum JHJ, see Anner-Baratti R, et al. 567

Alstermark B, Sasaki S: Integration in descending motor pathways controlling the forelimb in the cat. 14. Differential projection to fast and slow motoneurones from excitatory C3–C4 propriospinal neurones 530

Alstermark B, Sasaki S: Integration in descending motor pathways controlling the forelimb in the cat. 15. Comparison of the projection from excitatory C3–C4 propriospinal neurones to different species of forelimb motoneurones . . 543

Andersen RA, see May JG 265

Anner-Baratti R, Allum JHJ, Hepp-Reymond M-C: Neural correlates of isometric force in the "motor" thalamus 567

Armstrong-James M, see Fox K 505

Arshavsky YI, Deliagina TG, Orlovsky GN, Panchin YV, Pavlova GA, Popova LB: Control of locomotion in marine mollusc Clione limacina. VI. Activity of isolated neurons of pedal ganglia 106

Auer RN, see Lindvall O, et al. 382

Baker H, Spencer RF: Transneuronal transport of peroxidase – conjugated wheat germ agglutinin (WGA-HRP) from the olfactory epithelium to the brain of the adult rat 461

Bealer SL: Hypothalamic knife cuts alter vasopressin induced recovery of blood pressure following hemorrhage 76

Benecke R, Rothwell JC, Day BL, Dick JPR, Marsden CD: Motor strategies involved in the performance of sequential movements 585

Berardelli A, see Rothwell JC, et al. 197

Berardi N, Galli L, Maffei L, Siliprandi R: Binocular suppression in cortical neurons 581

Berlucchi G, see Krüger K, et al. 233

Berthier NE, Moore JW: Cerebellar Purkinje cell activity related to the classically conditioned nictitating membrane response 341

Bissoli R, see Contestabile A, et al. 301

Bobillier P, see Lasbennes F, et al. 163

Boch R, Fischer B: Further observations on the occurrence of express-saccades in the monkey 487

Bons N, Oliver J: Origin of the afferent connections to the parolfactory lobe in quail shown by retrograde labelling with a fluorescent neuron tracer 125

Bonsall RW, see Rees HD, et al. 67

Bradley A, see Skottun BC, et al. 431

Bras H, Chazal G, Destombes J, Puizillout JJ: Anti-5-hydroxytryptamine antibodies: studies on their cross-reactivity in vitro and their immunohistochemical specificity 627

Bronstein AM: Suppression of visually evoked postural responses 655

Buizza A, Schmid R: Velocity characteristics of smooth pursuit eye movements to different patterns of target motion 395

Callahan PA, see Jones EG, et al. 310

Cenni MC, see Fiorentini A, et al. 364

Chazal G, see Bras H, et al. 627

Chen NX, see Li HB, et al. 93

Chmielowska J, Kossut M, Chmielowski M: Single vibrissal cortical column in the mouse labeled with 2-deoxyglucose 607

Chmielowski M, see Chmielowska J, et al. 607

Contestabile A, Villani L, Bissoli R, Poli A, Migani P: Cholinergic GABAergic and excitatory amino acidic neurotransmission in the goldfish vagal lobe 301

Cook JE, Rankin ECC: Impaired refinement of the regenerated retinotectal projection of the goldfish in stroboscopic light: a quantitative WGA-HRP study 421

Cook JE, see Rankin ECC 409

Cools AR, see Heim C, et al. 375

Cowey A, see Lawler KA 402

Creutzfeldt O, Lee BB, Valberg A: Colour and brightness signals of parvocellular lateral geniculate neurons 21

Daikoku S, see Hisano S, et al. 495

Day BL, see Rothwell JC, et al. 197

Day BL, see Benecke R, et al. 585

Dean P, see Redgrave P, et al. 279

Deliagina TG, see Arshavsky YI, et al. 106

Desimone R, see Nakamura RK, et al. 185

Destombes J, see Bras H, et al. 627

Dick JPR, see Benecke R, et al. 585

Dietrichs E, see Walberg F, et al. 294

Dinse H, see Krüger K, et al. 233

Dufossé D, see Palmer CI, et al. 474

Dykes RW, see Hicks TP, et al. 248

Eveleigh B, see Ohmi M, et al. 387

Ezure K, see Graf W 35

Fahle M: Curvature detection in the visual field and a possible physiological correlate 113

Fiorentini A, Cenni MC, Maffei L: Impairment of stereoacuity in cats with oculomotor proprioceptive deafferentation 364

Fischer B, see Boch R 487

Fischer BO, Ottersen OP, Storm-Mathisen J: Implantation of D-[^{3}H] aspartate loaded gel particles permits restricted uptake sites for transmitter-selective axonal transport . . . 620

Fox K, Armstrong-James M: The role of the anterior intralaminar nuclei and N-Methyl D-Aspartate receptors in the generation of spontaneous bursts in rat neocortical neurones 505

Freed WJ, Patel-Vaidya U, Geller HM: Properties of PC12 pheochromocytoma cells transplanted to the adult rat brain 557

Galli L, see Berardi N, et al. 581

Geller HM, see Freed WJ, et al. 557

Gensburger C, Labourdette G, Sensenbrenner M: Influence of meningeal cells on the proliferation and maturation of rat neuroblasts in culture 321

Gingell R, see Racine RJ, et al. 158

Glickstein M, see Yeo CH, et al. 81

Graf W, Ezure K: Morphology of vertical canal related second order vestibular neurons in the cat 35

Groves PM, see Ryan LJ, et al. 449

Hämäläinen M, see Kaukoranta E, et al. 60

Hardiman MJ, see Yeo CH, et al. 81

Hari R, see Kaukoranta E, et al. 60

Harley CW, Milway JS: Glutamate ejection in the locus coeruleus enhances the perforant path-evoked population spike in the dentate gyrus 143

Heim C, Schwarz M, Klockgether T, Jaspers R, Cools AR, Sontag K-H: GABAergic neurotransmission within the reticular part of the substantia nigra (SNR): role for

switching motor patterns and performance of movements 375
Heitländer-Fansa H, see Krüger K, et al. 233
Henry GH, see Wong ROL, et al. 102
Hepp-Reymond M-C, see Anner-Baratti R, et al. 567
Hicks TP, Metherate R, Landry P, Dykes RW: Bicuculline-induced alterations of response properties in functionally identified ventroposterior thalamic neurones 248
Hikosaka O, Sakamoto M: Cell activity in monkey caudate nucleus preceding saccadic eye movements 659
Hisano S, Ishizuka H, Nishiyama T, Tsuruo Y, Katoh S, Daikoku S: Immunoelectron microscopic observations of hypothalamic TRH-containing neurons in rats 495
Howard IP, see Ohmi M, et al. 387
Hubbard JI, see Hyland BI, et al. 205
Hultborn H, Meunier S, Pierrot-Deseilligny E, Shindo M: Changes in polysynaptic 1a excitation to quadriceps motoneurones during voluntary contraction in man 436
Hunter IW, see Weiss PL, et al. 49
Hyland BI, Sirett NE, Hubbard JI: Electrophysiological evidence for a projection from medial prefrontal and anterior limbic cortex toward the medial preoptic area in the cat 205
Ingvar M, see Nevander G, et al. 439
Ishizuka H, see Hisano S, et al. 495
Jaspers R, see Heim C, et al. 375
Jeffery G, Thompson ID: The effects of prenatal and neonatal monocular enucleation on visual topography in the uncrossed retinal pathway to the rat superior colliculus 351
Jones EG, Schwark HD, Callahan PA: Extent of the ipsilateral representation in the ventral posterior medial nucleus of the monkey thalamus 310
Jonsson G, see Schultz W, et al. 216
Joó F, see Parducz A, et al. 221
Kaba H, Saito H, Otsuka K, Seto K: Ventrolateral medullary neurons projecting to the medial preoptic/anterior hypothalamic area through the medial forebrain bundle: an electrophysiological study in the rat 369
Katoh S, see Hisano S, et al. 495
Kaukoranta E, Hämäläinen M, Sarvas J, Hari R: Mixed and sensory nerve stimulations activate different cytoarchitectonic areas in the human primary somatosensory cortex SI. Neuromagnetic recordings and statistical considerations . . 60
Kearney RE, see Weiss PL, et al. 49
Kistler MK, see Larson CR 596
Klockgether T, see Heim C, et al. 375
Koch C, see Sherman SM 1
Kossut M, see Chmielowska J, et al. 607
Krüger K, Heitländer-Fansa H, Dinse H, Berlucchi G: Detection performance of normal cats and those lacking areas 17 and 18: a behavioral approach to analyse pattern recognition deficits 233
Labourdette G, see Gensburger C, et al. 321
Lam DMK, see Li HB, et al. 93
Landry P, see Hicks TP, et al. 248
Larson CR, Kistler MK: The relationship of periaqueductal gray neurons to vocalization and laryngeal EMG in the behaving monkey 596
Lasbennes F, Lestage P, Bobillier P, Seylaz J: Stress and local cerebral blood flow: studies on restrained and unrestrained rats 163
Lasbennes F, Seylaz J: Local cerabral blood flow in gently restrained rats: effects of propranolol and diazepam 169
Lawler KA, Cowey A: The effects of pretectal and superior collicular lesions on binocular vision 402
Lee BB, see Creutzfeldt O, et al. 21
Lestage P, see Lasbennes F, et al. 163
Li H-B, Chen N-X, Watt CB, Lam DMK: The light microscopic localization of substance P- and somatostatin-like immunoreactive cells in the larval tiger salamander retina 93
Lindvall O, Auer RN, Siesjö BK: Selective lesions of mesostriatal dopamine neurons ameliorate hypoglycemic damage in the caudate-putamen 382
Lindvall O, see Nevander G, et al. 439
Luhmann HJ, Martinez Millán L, Singer W: Development of horizontal intrinsic connections in cat striate cortex 443
Maffei L, see Fiorentini A, et al. 364
Maffei L, see Berardi N, et al. 581
Marsden CD, see Rothwell JC, et al. 197
Marsden CD, see Benecke R, et al. 585
Martı´nez Millán L, see Luhmann HJ, et al. 443
Massion J, see Palmer CI, et al. 474
May JG, Andersen RA: Different patterns of corticopontine projections from separate cortical fields within the inferior parietal lobule and dorsal prelunate gyrus of the macaque 265
Medveczky CJ, see Wong ROL, et al. 102
Metherate R, see Hicks TP, et al. 248
Meunier S, see Hultborn H, et al. 436
Meyer-Lohmann J, see Niemann U, et al. 639
Michael RP, see Rees HD, et al. 67
Migani P, see Contestabile A, et al. 301
Milway JS, see Harley CW 143
Mishkin M, see Nakamura RK 173
Moore JW, see Berthier NE 341
Nakamura RK, Mishkin M: Chronic 'blindness' following lesions of nonvisual cortex in the monkey 173
Nakamura RK, Schein SJ, Desimone R: Visual responses from cells in striate cortex of monkeys rendered chronically 'blind' by lesions of nonvisual cortex 185
Niemann U, Windhorst U, Meyer-Lohmann J: Linear and nonlinear effects in the interactions of motor units and muscle spindle afferents 639
Nevander G, Ingvar M, Lindvall O: Mechanisms of epileptic brain damage: evidence for a protective role of the noradrenergic locus coeruleus system in the rat 439
Nishiyama T, see Hisano S, et al. 495
Nordby T, see Walberg F, et al. 294
Odekunle A, see Redgrave P, et al. 279
Ohmi M, Howard IP, Eveleigh B: Directional preponderance in human optokinetic nystagmus 387
Oliver J, see Bons N 125
Orlovsky GN, see Arshavsky YI, et al. 106
Otsuka K, see Kaba H, et al. 369
Ottersen OP, see Fischer BO, et al. 620
Palmer CI, Massion J, Dufossé D: The responses of pericruciate cortical neurones to distal forepaw electrical stimulation in the unanaesthetized, unrestrained cat 474
Panchin YV, see Arshavsky YI, et al. 106
Parducz A, Joó F, Toldi J: Formation of synaptic vesicles in the superior cervical ganglion of cat: choline dependency . 221
Patel-Vaidya U, see Freed WJ, et al. 557
Pavlova GA, see Arshavsky YI, et al. 106
Pierrot-Deseilligny E, see Hultborn H, et al. 436
Poli A, see Contestabile A, et al. 301
Popova LB, see Arshavsky YI, et al. 106
Puizillout JJ, see Bras H, et al. 627
Rabacchi S, Rocca P, Strata P: Influence of inferior olive on flexor reflex activity 191
Racine RJ, Wilson DA, Gingell R, Sunderland D: Long-term potentiation in the interpositus and vestibular nuclei in the rat 158

Ramoa AS, see Skottun BC, et al. 431
Rankin ECC, Cook JE: Topographic refinement of the regenerating retinotectal projection of the goldfish in standard laboratory conditions: a quantitative WGA-HRP study 409
Rankin ECC, see Cook JE 421
Redgrave P, Odekunle A, Dean P: Tectal cells of origin of predorsal bundle in rat: location and segregation from ipsilateral descending pathway 279
Rees HD, Bonsall RW, Michael RP: Sites of action of testosterone in the brain of the female primate 67
Reinken U, Schmidt U: Reactions of olfactory bulb neurons to different stimulus intensities in laboratory mice 151
Rocca P, see Rabacchi S, et al. 191
Rothwell JC, Day BL, Berardelli A, Marsden CD: Habituation and conditioning of the human long latency stretch reflex 197
Rothwell JC, see Benecke R, et al. 585
Ryan LJ, Young SJ, Groves PM: Substantia nigra stimulation evoked antidromic responses in rat neostriatum 449
Saito H, see Kaba H, et al. 369
Sakamoto M, see Hikosaka O 659
Sarvas J, see Kaukoranta E, et al. 60
Sasaki S, see Alstermark B 530, 543
Scarnati E, see Schultz W, et al. 216
Schein SJ, see Nakamura RK, et al. 185
Schmid R, see Buizza A 395
Schmidt U, see Reinken U 151
Schultz W, Scarnati E, Sundström E, Tsutsumi T, Jonsson G: The catecholamine uptake blocker nomifensine protects against MPTP-induced parkinsonism in monkeys . . . 216
Schwark HD, see Jones EG, et al. 310
Schwarz M, see Heim C, et al. 375
Sensenbrenner M, see Gensburger C, et al. 321
Seto K, see Kaba H, et al. 369
Seylaz J, see Lasbennes F, et al. 163, 169
Shahani BT, see Wierzbicka MM, et al. 331
Sherman SM, Koch C: The control of retinogeniculate transmission in the mammalian lateral geniculate nucleus 1
Shindo M, see Hultborn H, et al. 436
Shiriaev BI, Shupliakov OV: Synaptic organization of dorsal root projections to lumbar motoneurons in the clawed toad (Xenopus laevis) 135
Shupliakov OV, see Shiriaev BI 135
Siesjö BK, see Lindvall O, et al. 382
Siliprandi R, see Berardi N, et al. 581
Singer W, see Luhmann HJ, et al. 443
Sirett NE, see Hyland BI, et al. 205
Skottun BC, Bradley A, Ramoa AS: Effect of contrast on spatial frequency tuning of neurones in area 17 of cat's visual cortex 431
Sontag K-H, see Heim C, et al. 375
Spencer RF, see Baker H 461
Storm-Mathisen J, see Fischer BO, et al. 620
Strata P, see Rabacchi S, et al. 191
Sunderland D, see Racine RJ, et al. 158
Sundström E, see Schultz W, et al. 216
Thompson ID, see Jeffery G 351
Toldi J, see Parducz A, et al. 221
Tsuruo Y, see Hisano S, et al. 495
Tsutsumi T, see Schultz W, et al. 216
Valberg A, see Creutzfeldt O, et al. 21
Van der Loos H, see Welker E 650
Viala D: Evidence for direct reciprocal interactions between the central rhythm generators for spinal "respiratory" and locomotor activities in the rabbit 225
Villani L, see Contestabile A, et al. 301
Walberg F, Dietrichs E, Nordby T: The origin and termination of the dentatorubral fibres in the cat as studied with retrograde and anterograde transport of peroxidase labelled lectin 294
Watt CB, see Li HB, et al. 93
Weiss PL, Kearney RE, Hunter IW: Position dependence of stretch reflex dynamics at the human ankle 49
Welker E, Van der Loos H: Is areal extent in sensory cerebral cortex determined by peripheral innervation density? 650
Wiegner AW, see Wierzbicka MM, et al. 331
Wierzbicka MM, Wiegner AW, Shahani BT: Role of agonist and antagonist muscles in fast arm movements in man . . . 331
Wilson DA, see Racine RJ, et al. 158
Windhorst U, see Niemann U, et al. 639
Wong ROL, Henry GH, Medveczky CJ: Bistratified amacrine cells in the retina of the tammar wallaby – Macropus eugenii 102
Yamashita M: Monosynaptic connexions of low threshold muscle afferents with hindlimb motoneurones in the turtle spinal cord 519
Yeo CH, Hardiman MJ, Glickstein M: Classical conditioning of the nictitating membrane response of the rabbit. IV. Lesions of the inferior olive 81
Young SJ, see Ryan LJ, et al. 449
In memoriam Guiseppe Moruzzi 1910–1986 663